PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶: C07H 1/06, 21/00, G01N 27/447

(11) International Publication Number:

WO 95/18813

A1

(43) International Publication Date:

13 July 1995 (13.07.95)

(21) International Application Number:

PCT/US95/00163

(22) International Filing Date:

4 January 1995 (04.01.95)

(30) Priority Data:

08/178,660

7 January 1994 (07.01.94)

US

(71) Applicant: HYBRIDON, INC. [US/US]; One Innovation Drive, Worcester, MA 01605 (US).

(72) Inventors: COHEN, Aharon, S.; 49 Alton Place, Brookline, MA 02146 (US). BOURQUE, Andre; 205 Applebriar Lane, Marlboro, MA 01752 (US). VILENCHIK, Maria; 20A Coyne Road, Waban, MA 02168 (US).

(74) Agents: KERNER, Ann-Louise et al.; Lappin & Kusmer, 200 State Street, Boston, MA 02109 (US). (81) Designated States: AM, AT, AU, BB, BG, BR, BY, CA, CN, CZ, DE, DK, EE, FI, GB, GE, HU, JP, KE, KG, KP, KR, KZ, LK, LR, LT, LU, LV, MD, MG, MN, MW, MX, NL, NO, NZ, PL, PT, RO, RU, SD, SE, SI, SK, TJ, TT, UA, UZ, VN, European patent (AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG), ARIPO patent (KE, MW, SD, SZ).

Published

With international search report.

Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.

(54) Title: METHOD FOR ANALYZING OLIGONUCLEOTIDE ANALOGS

(57) Abstract

Disclosed is a substrate useful for separating unmodified and modified mononucleotides and oligonucleotides. The substrate includes at least 12 % (weight: volume) polymer in at least 5 M urea and at least 32 % (volume: volume) organic solvent, the organic solvent being a chemically stable liquid at room temperature and having a dielectric constant of at least 20. Also provided is a method of separating unmodified and modified mononucleotides and/or oligonucleotides utilizing this substrate.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	GB	United Kingdom	MR	Mauritania
AU	Australia	GE	Georgia	MW	Malawi
BB	Barbados	GN	Guinea	NE	Niger
BE	Belgium	GR	Greece	NL	Netherlands
BF	Burkina Faso	HU	Hungary	NO	Norway
BG	Bulgaria	Œ	Ireland	NZ	New Zealand
BJ	Benin	IT	Italy	PL	Poland
BR	Brazil	JP	Japan .	PT	Portugal
BY	Belarus	KE	Kenya	RO	Romania
CA	Canada	KG	Kyrgystan	RU	Russian Federation
CF	Central African Republic	KP	Democratic People's Republic	SD	Sudan
CG	Congo		of Korea	SE	Sweden
CH	Switzerland	KR	Republic of Korea	SI	Slovenia
CI	Côte d'Ivoire	KZ	Kazakhstan	SK	Slovakia
CM	Cameroon	LI	Liechtenstein	SN	Senegal
CN	China	LK	Sri Lanka	TD	Chad
CS	Czechoslovakia	LU	Luxembourg	TG	Togo
CZ	Czech Republic	LV	Latvia	TJ	Tajikistan
DE	Germany	MC	Monaco	TT	Trinidad and Tobago
DK	Denmark	MD	Republic of Moldova	UA	Ukraine
ES	Spain	MG	Madagascar	US	United States of America
Ħ	Finland	ML	Mali	UZ	Uzbekistan
FR	France	MN	Mongolia	VN	Viet Nam
GA	Gahan				

-1-

METHOD FOR ANALYZING OLIGONUCLEOTIDE ANALOGS

CROSS-REFERENCE TO RELATED APPLICATION

This patent application is a continuation-inpart of patent application Serial No. 08/032,856, filed March 16, 1993, entitled ANALYTICAL TECHNIQUE FOR OLIGONUCLEOTIDE ANALOGS, which is a continuation-in-part of patent application Serial No. 07/991,466 of the same title, filed December 16, 1992.

10

15

25

30

5

FIELD OF THE INVENTION

This invention relates to methods for separating mononucleotides and oligonucleotides. More particularly, this invention relates to the separation and characterization of modified and unmodified mononucleotides and oligonucleotides by high performance capillary electrophoresis.

20 BACKGROUND OF THE INVENTION

Oligonucleotides that are complementary or "antisense" to specific genes or RNA sequences are relatively small, synthetic molecules having an average molecular weight of about 10 kilodaltons (kD). These antisense molecules have had widespread use in the field of selective gene regulation with consequent therapeutic implications. Phosphate backbone modification of such oligonucleotides provides nuclease resistance and greatly enhances the usefulness of these

analogs. Such modifications include the substitution of phosphodiester internucleotide linkages with linkages such as methylphosphonates (Murakami et al. (1986) Biochem. 24:4041-4046; Agrawal et al. (1987) Tetrahedron Lett. 28:3539-3542; Sarin et al. (1988) Proc. Nat. Acad. Sci. (USA) 85:7448-7451), phosphorothioates (Burgers et al. Biochemistry 18:592-596; Agrawal et al. (1988) Proc. Natl. Acad. Sci. (USA) 85:7079-7083; Agrawal et al. (1989) Nucleosides and Nucleotides 8:819-823; Agrawal et al. (1989) Proc. Natl. Acad. Sci. (USA) 86:7790-7794), and phosphoramidates (Agrawal et al. (1988) Proc.

Natl. Acad. Sci. (USA) 85::7079-7083; Agrawal et al.

(1989) Nucleosides and Nucleotides 8:819-823).

15

10

Of special interest are phosphorothicate analogs in which one non-bridging oxygen atom has been substituted for a sulfur atom on the phosphate group in one or more internucleotide phosphodiester linkages. This modification is a 20 conservative substitution which increases nuclease resistance without significantly impairing the hybridization of the antisense molecule with target mRNA. As synthesized, these modified 25 oligonucleotides or analogs are usually found as diastereomeric mixtures due to chirality at their phosphorous group. In a context of new drug research, development and manufacturing of such analogs requires that the issues of oligomer 30 length, base composition, base sequence, chemical purity, and stereochemical purity be successfully addressed.

10

Synthetic oligonucleotides are presently used in most laboratories using molecular biology techniques. As synthesized, these oligonucleotides generally exist as mixtures of truncated oligonucleotides in addition to the desired oligonucleotide. Since the purity and chemical identity of a particular oligonucleotide is crucial to many applications, the ability to characterize and separate synthetic oligonucleotides analogs on a routine basis is important.

The absolute length and the degree of length heterogeneity of prepared oligonucleotides have 15 been assessed by electrophoresis in high resolution denaturing polyacrylamide slab gels (PAGE) (see, e.g., Current Protocols in Molecular Biology, Green Publishing and Wiley Interscience, N.Y., 1988) and by capillary gel electrophoresis through 20 cross-linked polyacrylamide (6% T, 5% C) gels (Hjerten (1967) Chromatogr. Rev. 9:122-213) containing from 10% to less than 30% (vol.:vol.) formamide (Rocheleau et al. (1992) Electrophoresis 13:484-486). Detection of oligonucleotides 25 separated on such gels has been accomplished by autoradiography and laser-induced fluorescence. These methods have not proven suitable for separating modified oligonucleotides. Furthermore, some of these gels, once used, are 30 not easily removable from the capillary. remedy this problem, gels containing up to 5% acrylamide monomer have been polymerized before filling the capillary (EPO 497 480). Ultrathin

15

20

25

30

slab gels (less than 100 μ m in thickness) have also been used for high speed DNA sequencing (Brumley et al. (1991) Nucleic Acids Res. 19:4121-4126; (1990) Nucleic Acids Res. 18:3419-Ansorge et al. 5420). Alternative separation methods include ion exchange chromatography, reversed phase high pressure liquid chromatography (HPLC), and gel high performance capillary electrophoresis (see, e.g., Edge et al. (1981) Nature 292:756-762; U.S. Patent No. 4,865,707). 10

> Oligonucleotides with phosphorothioate linkages are more difficult to resolve than phosphodiester-linked DNA due to the existence of diastereomer isomers $(2^n$, where n = the number ofchiral centers, which is equivalent to the number of phosphate groups). In addition, difficulty in resolution may be due to increased hydrophobicity of the former. These molecules, when separated, interact hydrophobically with ion exchange column supports and in many cases co-elute. Thus, they cannot be separated by the above methods in their existing formats.

> The separation of phosphorothioate oligonucleotide analogs is problematic for other reasons as well. When phosphorothioate oligonucleotides are assembled using either methoxyphosphoramidite or H-phosphate chemistry, they are in the form of diastereomeric mixtures due to chirality at their phosphorous groups. a result, although they migrate through polyacrylamide gels and HPLC columns like their

PCT/US95/00163

5

10

corresponding phosphodiester counterparts, phosphorothicate oligonucleotides give broader peaks and run more slowly than phosphodiesters because of their increased hydrophobicity or secondary structure. They are also known to interact with the HPLC column support. In addition, phosphorothicates run into stereochemical problems when separated by reversed phase HPLC. General analytical methods have not been devised for establishing the ratio of the optical isomers at each unsymmetrical substitution phosphorous linkage in an analog having many such sites of local chirality.

15 HPLC of oligodeoxyribonucleotides containing one or two phosphorothioate internucleotide linkages using a reversed-phase column (RP-HPLC) has been reported (Stec et al. (1985) J. Chromatogr. 326:263-280; Agrawal et al. (1990) Nucleic Acids Res. 20 18:5419-5423). However, this method is of limited use because of the small differences in the hydrophobicity of these analogs with increasing chain length (Agrawal et al. (1990) J. Chromatogr. 509:396-399).

25

30

Separation of oligodeoxyribonucleotide phosphorothicates containing 20 or fewer nucleotides has also been achieved by HPLC on strong and weak anion-exchange (SAX and WAX) columns (Cohen et al. (1993) *J. Chromatogr.* 638:293-301). Unfortunately, oligonucleotide phosphorothicates containing more than 20 nucleotides can not be analyzed by this method

-6-

because of their strong interaction with the SAX or WAX medium. Thus the separation of oligonucleotide phosphorothioates by this method is limited by its oligonucleotide length dependency.

Length-dependent separation of phosphorothioate analogs by HPLC using a WAX column has also been accomplished by Meletev et al. (Analyt. Biochem. (1993) 200:342-346). However, the peaks obtained were broader than those obtained for their phosphodiester counterparts, possibly because of their diastereomeric backbone. Ion-pair HPLC has also been used to analyze oligonucleotide phosphorothioates (Bigelow et al. (1990) J. Chromatogr. 533:133-140), but length-dependent separation was not achieved.

Thus, what is needed are better analytical methods of, and substrates for, separating unmodified and modified mononucleotides and oligonucleotides cleanly, rapidly, efficiently, and which are not limited by the size range or modification of the molecules being analyzed.

Also, what is needed are better methods of, and substrates for, separating and characterizing oligonucleotides such as those which are partially or totally oxidized.

25

5

10

15

20

-7-

SUMMARY OF THE INVENTION

5

10

15

20

25

30

A novel substrate and method of its use have been developed for the separation and characterization of unmodified and modified mononucleotides and oligonucleotides differing by as little as a single base or oxidation. Furthermore, this method enables the separation and characterization of oxidized oligonucleotides and/or oxidized mononucleotides from unoxidized or partially oxidized oligonucleotides and/or nonoxidized mononucleotides. An advantage to the use of this substrate and method is the relative ease by which samples of less than one nanogram per microliter or lower volumes can be conveniently handled with on-line UV detection. Relative to slab gel electrophoresis and conventional gel high performance capillary electrophoresis/on-line UV operation, this new formulation can be very useful for in process analysis as well as for purity assessment of antisense nucleotides in the pharmaceutical industry.

As used herein, an "oxidized oligonucleotide" is one having phosphodiester internucleotide linkages. A "partially oxidized oligonucleotide" is one which has the oxygen in the nonbridging position substituted for another atom or chemical group at some but not all of its internucleotide linkages. An oligonucleotide which is "unoxidized" is one in which the nonbridging oxygen in every phosphate group is substituted with another atom or chemical group.

10

15

20

25

30

The substrate of the invention includes at least 12% (weight:volume) polymer, which, in preferred embodiments is no more than 1% crosslinked, in at least 5 M urea and at least 32% (volume:volume) organic solvent. The organic solvent is a chemically stable liquid at room temperature (from about 19 - 25°C) and has a dielectric constant of at least 20. In one aspect of the invention, the substrate includes from 0 to 16.2% water.

Preferable substrate polymers are polyacrylamide, methyl cellulose and derivatives thereof, and polyvinyl alcohol. In one aspect, the substrate of the invention is acrylamide, and in particular, includes at least 12% T polymerized acrylamide (or polyacrylamide). The term "T" refers to the percent of monomers (mass:volume). In one embodiment, the invention includes a substrate containing 18% T polyacrylamide. another aspect of the invention, the substrate includes polyacrylamide such as 12% to 20% T polyacrylamide, with from about 13% to 18% T being optimal. In another aspect, the substrate contains linear polyacrylamide. The polymer is non-cross-linked in some aspects of the invention, and in others, contains up to 1% cross-linking.

Preferable organic solvents making up the substrate and having a dielectric constant of at least 20 are methanol, formamide, acetaldehyde, dimethylsulfoxide (DMSO), ethanol, glycol, acetone, 1-propanol, 2-propanol, 1, 2-propanediol,

-9-

1, 3-propanediol, and glycerol. In two representative embodiments of the invention, the substrate includes either formamide present at a concentration of about 32% to 74% (volume:volume) or DMSO at a concentration of about 32% to 56% (volume:volume). In yet another embodiment, the substrate includes 14% to 56% (volume:volume) DMSO.

The invention also provides a method of 10 separating unmodified and modified mononucleotides and oligonucleotides using the above-described This method includes placing the substrate. substrate in a high performance capillary, and then contacting the substrate with the 15 mononucleotide and/or oligonucleotides to be separated. An electric field greater than 200 volts/centimeter is applied across the substrate in the capillary, and the separated mononucleotides and/or oligonucleotides are 20 In preferred embodiments of the invention, an electric field of about 400 to 800 volts/cm is applied across the substrate.

Molecules capable of being separated by this method include unmodified mononucleotides, unmodified oligonucleotides, mononucleotide analogs, and oligonucleotide analogs, all having from about 1 to 150 bases.

30

5

As used herein, a "mononucleotide analog" or "modified mononucleotide" is a base, including purines and pyrimidines, or modifications thereof,

5

-10-

attached to the 1' end of the deoxyribose or ribose sugar, or modifications thereof, which is attached at its 5' position to a phosphate group. Also included as a mononucleotide analog are cyclic mononucleotides.

The term "mononucleotide analog" or "modified mononucleotide" is also meant to encompass 5'substituted mononucleotide analogs which include a deoxyribose or ribose sugar attached at its 5' 10 position to a chemical group other than the phosphate group found in native nucleotides. Preferable chemical groups include alkyl phosphonates, phosphorothicates, phosphorodithioates, alkyl phosphorothioates, 15 phosphoramidates, phosphate esters, carbonates, phosphate diesters, carbamates, and phosphate "Mononucleotide analogs" or "modified triesters. mononucleotides" also include "3'-substituted mononucleotide analogs" having a deoxyribose or 20 ribose sugar attached at their 3' position to a chemical group other than the hydrogen found in native nucleotides. Also included in the terms "modified mononucleotide" and "mononucleotide analog" are 3',5'-substituted mononucleotides 25 having a sugar which, at both its 3' and 5' positions is attached to a chemical group other than a hydroxyl group (at its 3' position) and other than a phosphate group (at its 5' position). A modified mononucleotide or mononucleotide analog 30 may also be unoxidized, i.e., having a substitution in one nonbridging oxygen as in a phosphorothioate, for example.

5

10

15

20

-11-

The term "oligonucleotide" includes polymers of one or more ribonucleotide and/or deoxyribonucleotide monomers connected together or linked by at least one 5' to 3' internucleotide linkage.

The terms "modified oligonucleotide" and "oligonucleotide analog," as used herein, encompass a molecule of ribonucleotides or deoxyribonucleotides which are covalently linked via at least one synthetic linkage. A "synthetic internucleotide linkage" is a linkage other than a phosphodiester between the 5' end of one nucleotide and the 3' end of another nucleotide in which the 5' internucleotide phosphate has been replaced with any number of chemical groups. Preferable synthetic linkages include alkylphosphonates, phosphorothioates, phosphorodithioates, alkylphosphonothioates, phosphoramidates, phosphate esters, carbamates, carbonates, phosphate triesters, acetamidate, and carboxymethyl esters.

The terms "modified oligonucleotide" and

"oligonucleotide analog" also encompass
oligonucleotides with a modified base and/or
sugar. For example, a 3', 5'-substituted
oligonucleotide is a modified oligonucleotide
having a sugar which, at both its 3' and 5'
positions is attached to a chemical group other
than a hydroxyl group (at its 3' position) and
other than a phosphate group (at its 5' position).
A modified oligonucleotide may also be a capped

-12-

species. Also encompassed by these terms are unoxidized oligonucleotides or oligomers having a substitution in one nonbridging oxygen per nucleotide in the molecule.

5

10

15

20

Synthetic oligonucleotides are also oligonucleotide analogs. A "synthetic oligonucleotide" encompasses polymers of 3' to 5'linked ribonucleosides, 2'-modified ribonucleosides and/or deoxyribonucleosides having only as many nucleosides as are conveniently chemically synthesized (i.e., up to about 80 -90). Also encompassed are those oligonucleotides having base or sugar modifications as well as those having nuclease resistance-conferring bulky substituents at their 3' and/or 5' end(s), multiple ribonucleosides and/or deoxyribonucleosides linked via an internucleotide linkage not found in native DNA, i.e., linkages other than phosphodiester bonds, or having modified bases and/or sugars in various other structural modifications not found in vivo without human intervention.

BRIEF DESCRIPTION OF THE DRAWINGS

The foregoing and other objects of the present invention, the various features thereof, as well as the invention itself may be more fully understood from the following description, when read together with the accompanying drawings in which:

- FIG. 1A is an electropherogram demonstrating the separation by HPCE of phosphorothicate failure sequences ranging in length from 1 to 50 bases in length;
- FIG. 1B is an electropherogram demonstrating the electrophoretic separation by HPCE of phosphorothicate failure sequences ranging in length from 1 to 75 bases in length;
- FIG. 2 is a calibration plot of migration time of the analogs separated in FIG. 1 versus oligomer length in the analog;

FIG. 3 is an electropherogram demonstrating the electrophoretic separation of a mixture of 25mer analog (SEQ ID NO:1), 24mer analog (SEQ ID NO:2), and failure sequences resulting from the syntheses of these oligonucleotide analogs. Peak A represents a putative 23mer failure sequence from 24mer (SEQ ID NO:2) synthesis; peak B represents the 24mer analog (SEQ ID NO:2); peak C represents the putative 24mer failure sequence from 25mer analog (SEQ ID NO:1) synthesis; peak D represents a 25mer analog (SEQ ID NO:1); and peak E is unknown;

FIG. 4A is an electropherogram demonstrating the electrophoretic separation of unoxidized heteropolymers differing in length by one base, using a substrate composed of 12.6% T acrylamide, 7.4 M urea, and 40.5% (volume:volume) DMSO by HPCE (800 V/cm, 3 μA) on 10 cm capillaries;

20

25

5

10

15

FIG. 4B is an electropherogram demonstrating the electrophoretic separation of oxidized homopolymers of polyadenylic acid differing in length by one base, using a substrate composed of 12.6% T acrylamide, 7.4 M urea, and 40.5% (volume:volume) DMSO by HPCE (800 V/cm, 3 μ A) on 10 cm capillaries;

PCT/US95/00163

5

20

FIG. 4C is an electropherogram demonstrating the electrophoretic separation of unoxidized oligonucleotide analogs differing in length by only one base, and oxidized homopolymers of polyadenylic acid differing in length by one base, using a substrate composed of 12.6% T acrylamide, 7.4 M urea, and 40.5% (volume:volume) DMSO by HPCE (800 V/cm, 3 μ A) on 10 cm capillaries;

10 FIG. 5A is an electropherogram demonstrating the electrophoretic separation of unoxidized heteropolymers differing in length by one base, using a substrate composed of 11.4% T acrylamide, 5.7 M urea, and 48.9% (volume:volume) formamide by HPCE (400 V/cm, 4 μA) on 10 cm capillaries;

FIG. 5B is an electropherogram demonstrating the electrophoretic separation of homopolymers of oxidized polyadenylic acid differing in length by one base, using a substrate composed of 11.4% T acrylamide, 5.7 M urea, and 48.9% (volume:volume) formamide by HPCE (400 V/cm, 4 μ A) on 10 cm capillaries;

FIG. 5C is an electropherogram demonstrating the electrophoretic separation of unoxidized heteropolymers differing in length by one base and oxidized homopolymers of polyadenylic acid differing in length by one base, using a substrate composed of 11.4% T acrylamide, 5.7 M urea, and 48.9% (volume:volume) formamide by HPCE (400 V/cm, 4 μA) on 10 cm capillaries;

5

20

-16-

FIG. 6A is an electropherogram demonstrating the electrophoretic separation of unoxidized heteropolymers differing in length by one base and oxidized homopolymers of polyadenylic acid differing in length by one base, using a substrate composed of 14.0% T acrylamide, 5 M urea, and 14% (volume:volume) DMSO;

the electrophoretic separation of unoxidized heteropolymers differing in length by one base and oxidized homopolymers of polyadenylic acid differing in length by one base, using a substrate composed of 14.0% T acrylamide, 5 M urea, and 28% (volume:volume) DMSO;

FIG. 6C is an electropherogram demonstrating the electrophoretic separation of unoxidized heteropolymers differing in length by one base and oxidized homopolymers of polyadenylic acid differing in length by one base, using a substrate composed of 14.0% T acrylamide, 5 M urea, and 42% (volume:volume) DMSO;

25 FIG. 6D is an electropherogram demonstrating the electrophoretic separation of unoxidized heteropolymers differing in length by one base and oxidized homopolymers of polyadenylic acid differing in length by one base, using a substrate composed of 14.0% T acrylamide, 5 M urea, and 56% (volume:volume) DMSO;

-17-

FIG. 7A is an electropherogram demonstrating the electrophoretic separation of unoxidized oligonucleotide analogs 20 to 25 bases in length (SEQ ID NOS 3-8) and homopolymers of polyadenylic acid 19 to 24 bases in length using a substrate composed of 11.4 T acrylamide, 32% (volume:volume) formamide, 7 M urea, and 20% water;

the electrophoretic separation of unoxidized oligonucleotide analogs 20 to 25 bases in length (SEQ ID NOS 3-8) and homopolymers of polyadenylic acid 19 to 24 bases in length using a substrate composed of 11.4% acrylamide, in 48.9% (volume:volume) formamide, 5.7 M urea;

FIG. 7C is an electropherogram demonstrating the electrophoretic separation of unoxidized oligonucleotide analogs 20 to 25 bases in length (SEQ ID NOS 3-8) and homopolymers of polyadenylic acid 19 to 24 bases in length using a substrate composed of 11.4% acrylamide, in 74% (volume:volume) formamide, 5 M urea, and 0% water; and

20

5

5

10

-18-

FIG. 8 is an electropherogram demonstrating the electrophoretic separation of unoxidized oligonucleotide analogs 20 to 25 bases in length (SEQ ID NOS:3-7), an oligonucleotide analog (SEQ ID NO:3) with one oxidation, an oligonucleotide analog (SEQ ID NO:3) with two oxidations, and an oligonucleotide analog (SEQ ID NO:3) with twenty-four oxidations, using a substrate composed of 14% T acrylamide, 52% (volume:volume) DMSO, 5 M urea, and 200 mM TBE by HPCE (400 V/cm, 5 μ A) on a 9 cm capillary.

5

-19-

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

This invention provides a novel substrate and methods of using that substrate to separate unmodified and modified mononucleotides and unmodified and modified oligonucleotides which may differ by only one base or oxidation.

High performance capillary gel electrophoresis (HPCE) utilizing the novel 10 substrate of the invention holds a unique position in the field of oligonucleotide separation due to its resolution power, ability to determine purity, speed, and automation. Because of the low current generated (μA) from the narrow bore columns (25 μm 15 to 200 μ m, inner diameter), high electric fields (hundreds of volts/cm) without excess Joule heating can be employed, resulting in very rapid, high resolution separations. As an instrumental technique, HPCE is reproducible, amenable to 20 automation, and thus is a powerful alternative tool for antisense analysis.

electrophoresis suggest the application of electric fields lower than 200 V/cm with low ionic strength buffer (not higher than 0.1 M Trisborate-EDTA (TBE)) and low gel concentration in aqueous media for the separation of oligonucleotides. However, it has been discovered that the use of 0.2 M TBE buffer and an electric field of at least 200 V/cm, and preferably at least 400 V/cm, gives very high resolution in

-20-

certain gel substrates for the separation of oligonucleotide analogs.

The substrate contains a polymer such as polyacrylamide, methyl cellulose, polyvinyl alcohol, or derivatives thereof, which may be up to 1% cross-linked but need not be cross-linked at all. It is important that the concentration of polymer in the capillary be 12% or higher to achieve this kind of resolution and efficiency. No concentration gradient of polymer is required, but linear gradients of, for example, from about 12% to 20%, or more preferably, from about 13% to 18% polymer are useful.

15

20

10

5

The polymer is suspended in a solution containing at least 5 M urea. The presence of a high concentration of urea (i.e., at least 5 M, and preferably between 5.7 and 8.3 M) improves denaturation of the molecules to be separated under the conditions of this method.

The solution also contains at least 32%

(volume:volume) organic solvent. Useful organic

solvents are chemically stable liquids at about

room temperature, and have a dielectric constant

of at least 20. Such solvents include, but are

not limited to, methanol, formamide,

acetaldehyde, DMSO, ethanol, glycol, acetone, 1
propanol, 2-propanol, 1, 2-propanediol, 1, 3
propanediol, and glycerol, among others. These

solvents, along with their chemical formulae and

dielectric constants, are listed below in TABLE 1

-21-

obtained from *The Merck Index* ((10th Ed.) Windholz et al., eds., (1983) Merck & Co., Inc., Rahway, New Jersey).

5	TABLE 1			
	Chemical Formula	Solvent I	Dielectric Constant	at °C
10	CH ₄ O CH ₃ NO C ₂ H ₄ O C ₂ H ₆ OS C ₂ H ₆ O C ₂ H ₆ O C ₃ H ₆ O C ₃ H ₈ O	methanol formamide acetaldehyde dimethylsulfoxid ethanol glycol acetone 1-propanol 2-propanol	33.62 84.0 21.0 de 45.0 24.30 37.0 20.7 20.1 18.3	20° 20° 10° 20° 25° 25° 25° 25°
20	C_3H_8O $C_3H_8O_2$ $C_3H_8O_2$ $C_3H_8O_3$	1,2-propanediol 1,3-propanediol glycerol	32.0	20° 20° 25°

In addition, some substrates of the invention include about 14% to 56% DMSO.

25

The substrate consisting of the polymer in
the urea/organic solvent solution is placed in a
capillary or tube before polymerization in
preparation for separation and analysis by HPCE.
In the case of acrylamide, polymerization may be
achieved by adding ammonium persulfate and a free
radical catalyst such as N,N,N',N'-tetramethylene-

10

diamine (TEMED) to the acrylamide solution. Alternatively, photopolymerization may be used. The substrate solution is then placed into the capillary where it polymerizes. A useful capillary is a microcapillary column (25 to 200 μ m inner diameter) made of fused silica, as described in U.S. Patent Nos. 4,865,706 and 5,112,460, herein incorporated by reference. Of course, other initiators and modes of polymerization may be used depending on the type of polymer present in the substrate.

The sample solution containing the molecules to be analyzed is then applied to the substrate in the capillary. The molecules which can be 15 successfully separated on this substrate include unmodified mononucleotides and oligonucleotides and modified mononucleotides and oligonucleotides (or mononucleotide analogs and oligonucleotide analogs) such as oxidized and unoxidized 20 mononucleotides and oligonucleotides, 3'substituted mononucleotides and oligonucleotides, 5'-substituted mononucleotides and oligonucleotides, 3',5'-substituted mononucleotides and oligonucleotides, 25 mononucleotides and oligonucleotide analogs having at least one phosphate group replaced with a chemical group such as alkylphosphonates, phosphorothioates, phosphorodithioates, alkylphosphonothioates, phosphoramidates, 30 phosphate esters, carbamates, carbonates, phosphate triesters, acetamidate, and

PCT/US95/00163

carboxymethyl esters, among others (see, e.g.,. Uhlmann et al. (1990) *Chem. Rev.* **90**:543-583).

WO 95/18813

5

10

15

20

The preparation of these modified and unmodified mononucleotides and oligonucleotides is well known in the art (reviewed in Agrawal et al. (1992) Trends in Biotechnol. 10:152-158). For example, monomeric and oligomeric phosphorothicate analogs can be prepared using methods well known in the field such as methoxyphosphoramidite (see, e.g., Agrawal et al. (1988) Proc. Natl. Acad. Sci. (USA) 85:7079-7083) or H-phosphonate (see, e.g., Froehler (1986) Tetrahedron Lett. 27:5575-5578) chemistry. The synthetic methods described in Bergot et al. (J. Chromatog. (1992) 559:35-42) can also be used.

The products of any of these syntheses may include failure sequences as well as the desired oligonucleotide sequence. The failure sequences have at least one less base than the desired oligonucleotide, but the position of the missing base is unknown without subsequent sequencing analysis.

In order to separate the failure sequences from the desired oligonucleotides so produced, or in order to distinguish, characterize, and isolate different desired mononucleotides and/or oligonucleotide species from each other, the molecules to be examined are analyzed by HPCE using a capillary electrophoresis apparatus. Such an instrument is well known in the field (see, e.g.,

PCT/US95/00163

Cohen et al. (1988) Proc. Natl. Acad. Sci. (USA) 85:9660-9663). The sample is electrophoretically injected into the column by dipping the cathodic end of the capillary into the sample solution and applying a field of 400 V/cm for 1 to 3 sec. The sample is then run through the gel, and the separated analogs detected by UV, infrared, fluorescence, laser-induced fluorescence or other external monitoring methods.

10

15

5

As demonstrated by the electropherograms shown in FIGS. 1A and 1B, this method enables the separation of oligonucleotide analogs differing in length by only one base. In addition, this method enables the separation of oligonucleotides differing in their state of oxidation by only one oxidized nonbridging group as demonstrated in FIG. 8.

The following examples illustrate the preferred mode of making and practicing the present invention, but are not meant to limit the scope of the invention.

25

EXAMPLES

1. HPCE Apparatus

The high performance capillary

electrophoresis apparatus with UV detection and
the preparation of substrate-filled capillary for
the separation of DNA molecules are essentially
the same as described in Cohen et al. (*Proc. Natl.*

5

-25-

Acad. Sci. (USA) (1988) 85:9660-9663) and Heiger et al. (J. Chromatogr. (1990) 516:33-48), herein incorporated by reference. A 30 kV, 500 μ A direct current high voltage power supply (Model ER/DM; Glassman, Whitehouse Station, NJ) is used to generate the potential across the capillary.

Preparation of Substrate-Filled Capillaries

Fused-silica capillary tubing (Polymicro 10 Technologies, Phoenix, AZ) with inner diameter of 75 μm , outer diameter of 375 μm , effective length of 20 cm, and total length of 30 cm, is treated with (methylacryloxypropyl)trimethoxysilane (Petrarch Systems, Bristol, PA) and then filled 15 with degassed 13 to 18% T polymerizing acrylamide in aqueous or organic solution in 0.2 M TBE buffer (0.2 M Tris borate, 4 mM EDTA), pH 8.3, with 7 M to 8.3 M urea. Alternatively, capillaries are filled with a degassed O.2 M TBE buffer solution 20 of 11.4%, 13%, or 18% T acrylamide, in 32% to 74% (volume:volume) formamide, 5.7 M urea; or 14% T acrylamide in 14% to 56% (volume:volume) DMSO, 5 M urea; or 12.6% to 14% T acrylamide in 5 to 7.4 M urea and 40.5% (volume:volume) DMSO. 25 Polymerization is achieved by adding ammonium persulfate solution and TEMED. To remove impurities from the polyacrylamide, the capillary column is pre-electrolyzed at 6 kV for 30 to 60 minutes. During electrophoresis, the capillary is 30 maintained at room temperature. Ultra-pure Trizma base, urea, acrylamide, and EDTA are purchased from Schwartz/Mann Biotech (Cleveland, OH). TEMED

-26-

and ammonium persulfate are purchased from Bio-Rad (Richmond, CA).

Preparation of Oligonucleotides

5

10

15

20

25

30

The oligonucleotide phosphorothicate 25mer 5'-CGTATAGCCTGATGTCATAGCCGAT-3' (SEQ ID NO:1), 24mer 5'-GACTCGAGGTCTGCTAACCTAGAT-3' (SEQ ID NO:2), 25mer 5'-CTCTCGCACCCATCTCTCTCTCT-3' (SEQ ID NO:3), 24mer 5'-TCTCGCACCCATCTCTCTCTCT-3' (SEQ ID NO:4), 23mer 5'-CTCGCACCCATCTCTCTCT-3' (SEQ ID NO:5), 22mer 5'-TCGCACCCATCTCTCTCT-3' (SEQ ID NO:6), 21mer 5'-CGC-ACCCATCTCTCTCT-3' (SEQ ID NO:7), 20mer 5'-CGCACC- CATCTCTCTCTTCT-3' (SEQ ID NO:8), poly d[T] analogs ranging in length from 19 to 24 bases, and the failure sequences from the syntheses of various oligomers having a length of up to 150 bases (base sequences unknown) are synthesized using the procedure of Beaucage et al. (U.S. Patent No. 5,003,097), herein incorporated by reference. Briefly, oligodeoxyribonucleotides are synthesized on an automated synthesizer (Model 8700, Milligen/Biosearch, Bedford, MA). Both normal phosphodiester oligodeoxyribonucleotides and their phosphorothicate analogs are assembled using H-phosphonate chemistry (Andrus et al. (1988) Tetrahedron Lett. 29:61; Gregg et al. (1987) Tetrahedron Lett. 27:4051). Synthesis is carried out on a 10- μ mol scale, and after the chain elongation cycles the controlled pore glass support-bound oligonucleoside. H-phosphonate is treated either

with 0.2 M sulfur in carbon disulfide:pyridine:

-27-

triethylamine (12:12:1, volume:volume) to generate phosphorothioate internucleotide linkages. Deprotection of oligodeoxyribonucleotide is carried out with concentrated ammonia at 55°C for 8 hours. Deprotected oligodeoxyribonucleotides are then resuspended in distilled water.

4. Separation of Oligonucleotides

5

10

15

Samples are electrophoretically injected into the column by dipping the cathodic end of the capillary into the sample solution and applying a voltage of 400 V/cm for 2 seconds. Separation is achieved at a typical applied field of from 400 to 800 V/cm. Each column is used for multiple injections. Periodically, a short section of the capillary at the injection end is trimmed.

The failure sequence sample (containing oligonucleotides varying in length from 1 to 50 20 bases, from 1 to 75 bases, and from 1 to 150 bases is suspended in water with final concentration 500 $ng/\mu l$. Each of these samples is separated on a capillary containing 15% T acrylamide. The column is developed with 60% (volume:volume) formamide, 25 0.2 M TBE buffer, 8.3 M urea, pH 8.3. Electrophoresis is conducted under an applied electric field of 400 volts/cm and a current of 5 μ A over a 20 cm migration distance. The results from the 1 to 50 and 1 to 75 base samples are 30 shown in FIGS. 1A and 1B. When migration time is examined with respect to fragment length, a linear relationship $(r^2=0.9999)$ is observed (FIG. 2).

5

10

15

20

25

-28-

This linear behavior of the phosphorothicate analogs is indicative of the lack of peak compression, and of migration according to molecular weight or size, each being important elements of successful oligonucleotide separation.

A sample containing a mixture of the 24mer (SEQ ID NO:2) and the 25mer (SEQ ID NO:1) phosphorothioate analogs (having different sequences but the same length) is suspended in water to final concentration 400 ng/ml. sample is run on a capillary containing 13% T, 0% C, 7 M urea, 0.2 M TBE, pH 8.3. (The term "c" refers to a fraction: the amount of crosslinked polymer over the total monomer and cross-linked monomer). Electrophoresis is conducted under an electric field of 400 volts/cm and a current of 12 μ A over a 20 cm migration distance. The results of this separation are shown in FIG. 3. The time window between elution of the 24mer (SEQ ID NO:2) and elution of the 25mer (SEQ ID NO:1) is large enough to accommodate an additional peak. peak is presumed to be a failure sequence of the synthesized 25mer and is therefore a 24mer since this peak is migrating directly after the 25mer under denaturing conditions. Thus, the two 24mers may be separated due to the difference in their base sequences.

In other tests, heteropolymers of unoxidized phosphorothicate oligonucleotide 20-25mer analogs (SEQ ID NOS: 8, 7, 6, 5, 4, and 3), oxidized homopolymers of polyadenylic acid 19-24 bases in

-29-

length, and mixtures thereof, are resolved on 10 cm 12.6% T acrylamide capillaries containing 40.5% (volume:volume) DMSO and 7.4 M urea at 800 V/cm, 3 μ A (FIGS. 4A-4C), on 10 cm 14% T acrylamide capillaries containing 14% to 56% DMSO and 5.0 urea at 800 V/cm, or on 10 cm 11.4% T acrylamide capillaries containing 74% (volume:volume) formamide and 5.7 M urea at 400 V/cm, 4 μ A (FIG. 7C).

10

15

20

25

30

5

The results show that a substrate containing 40.5% (volume:volume) DMSO and 16.2% water (FIG. enables the separation of a mixture of completely unoxidized oligonucleotides (e.g., phosphorothicates) differing in length by only 1 base and completely oxidized oligonucleotides (e.g., phosphodiesters) differing in length by only one base, in contrast to a substrate wherein DMSO is substituted for formamide (FIG. 5C). Substrates containing 28% or lower concentration of DMSO are comparable in the separation abilities to that of 48.9% or lower formamide-containing substrates (FIG. 5C). In addition, a substrate containing 74% formamide, 5 to 5.7 M urea, and 0% water, is found to separate a mixture of oxidized and unoxidized oligonucleotide analogs differing in length by only one base (FIG. 7C). results are comparable to the results shown in FIGS. 6C and 6D wherein the substrate contains 42% and 56% (volume:volume), respectively, DMSO.

Thus, the results demonstrate that by increasing organic solvent concentration, improved

-30-

separation of oligonucleotides differing in length by only one base and by oxidation state can be obtained. Furthermore, substrates containing 14% T acrylamide, 52% (volume:volume) DMSO, 5 M urea, and 200 mM TBE can separate unoxidized phosphorothicate heteropolymers 20 to 25 bases in length (SEQ ID NOS:3-8) from each other and from a heteropolymeric analog 25 bases in length (SEQ ID NO:3) having one or two oxidations (see FIG. 8, peaks A and B, respectively; peak C is a 25mer with 24 oxidations).

5. Detection Method

5

10

25

Oligonucleotides are monitored by UV

detection at wavelength 270 nm using a Spectra-100
spectrophotometer (Spectra Physics, San Jose, CA).

The data are stored on an Ace IBM compatible PC
computer via an analog to digital (A/D) converter

(Model 970, Nelson Analytical, Cupertino, CA).

Those skilled in the art will recognize, or be able to ascertain, using no more than routine experimentation, numerous equivalents to the specific substances and procedures described herein. Such equivalents are considered to be within the scope of this invention, and are covered by the following claims.

-31-

SEQUENCE LISTING

_	(1) GENERAL INFORMATION:
5	(i) APPLICANTS: Cohen, Aharon S. Bourque, Andre Vilenchik, Maria
10	(ii) TITLE OF INVENTION: Method for Analyzing Oligonucleotide Analogs
	(iii) NUMBER OF SEQUENCES: 8
15	(iv) CORRESPONDENCE ADDRESS: (A) ADDRESSEE: Lappin & Kusmer (B) STREET: 200 State Street (C) CITY: Boston
20	(D) STATE: Massachusetts (E) COUNTRY: U.S.A. (F) ZIP: 02109
25 .	 (v) COMPUTER READABLE FORM: (A) MEDIUM TYPE: Floppy disk (B) COMPUTER: IBM PC compatible (C) OPERATING SYSTEM: PC-DOS/MS-DOS (D) SOFTWARE: Patentin Release #1.0, Version #1.25
30	<pre>(vi) CURRENT APPLICATION DATA: (A) APPLICATION NUMBER: (B) FILING DATE: (C) CLASSIFICATION:</pre>
35	<pre>(viii) ATTORNEY/AGENT INFORMATION: (A) NAME: Kerner, Ann-Louise (B) REGISTRATION NUMBER: 33,523 (C) REFERENCE/DOCKET NUMBER: HYZ-012PCT</pre>
40	<pre>(ix) TELECOMMUNICATION INFORMATION: (A) TELEPHONE: 617/330-1300 (B) TELEFAX: 617/330-1311</pre>
	(2) INFORMATION FOR SEQ ID NO:1:
45	 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 25 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear

-32-

	(ii) MOLECULE TYPE: cDNA	
	(iii) HYPOTHETICAL: NO	
5	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:1:	
	CGTATAGCCT GATGTCATAG CCGAT	25
10		
	(2) INFORMATION FOR SEQ ID NO:2:	
15	 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 24 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear 	
20	(ii) MOLECULE TYPE: cDNA	
	(iii) HYPOTHETICAL: NO	
25	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:2:	
	GACTCGAGGT CTGCTAACCT AGAT	24
30	(2) INFORMATION FOR SEQ ID NO:3:	
35	 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 25 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear 	
	(ii) MOLECULE TYPE: cDNA	
40	(iii) HYPOTHETICAL: NO	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:3:	
45	CTCTCGCACC CATCTCTCTC CTTCT	25

50

-33-

	(2) INFORMATION FOR SEQ ID NO:4:	
5	 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 24 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear 	
	(ii) MOLECULE TYPE: cDNA	
10	(iii) HYPOTHETICAL: NO	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:4:	
15	TCTCGCACCC ATCTCTCTC TTCT	24
20	(2) INFORMATION FOR SEQ ID NO:5:	
25	 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 23 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear 	,
	(ii) MOLECULE TYPE: cDNA	
30	(iii) HYPOTHETICAL: NO	
30	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:5:	
35	CTCGCACCCA TCTCTCCT TCT	23
	(2) INFORMATION FOR SEQ ID NO:6:	
40	 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 22 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear 	
45	(ii) MOLECULE TYPE: cDNA	
	(iii) HYPOTHETICAL: NO	

PCT/US95/00163 WO 95/18813

-34-

(xi)	SEQUENCE	DESCRIPTION:	SEQ	ID	NO:6	5:
------	----------	--------------	-----	----	------	----

5	TCGCACCCAT CTCTCTCTT CT	22
J	(2) INFORMATION FOR SEQ ID NO:7:	
10	 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 21 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear 	
15	(ii) MOLECULE TYPE: cDNA	
	(iii) HYPOTHETICAL: NO	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:7:	
CGCACCCATC TCTCTCCTTC T		21
25	(2) INFORMATION FOR SEQ ID NO:8:	
30	 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 20 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear 	
	(ii) MOLECULE TYPE: cDNA	
35	(iii) HYPOTHETICAL: NO	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:8:	
40	GCACCCATCT CTCTCCTTCT	20

-35-

What is claimed is:

 A method of separating unmodified and/or modified mononucleotides and/or oligonucleotides, the method comprising the steps of:

(a) providing a substrate in a high performance capillary, the substrate comprising at least 12% (weight:volume) polymer, at least 5 M urea and at least 32% (volume:volume) organic solvent, the organic solvent being a chemically stable liquid at room temperature and having a dielectric constant of at least 20;

15

30

10

- (b) contacting the substrate with the mononucleotides and/or oligonucleotides to be separated;
- 20 (c) applying an electric field greater than 200 volts/cm across the gel in the capillary; and
- (d) detecting the separated mononucleotidesand/or oligonucleotides.
 - 2. The method of claim 1 wherein the providing step (a) comprises providing a substrate which includes from 0 to 16.2% (volume:volume) water.

- 3. The method of claim 1 wherein the providing step (a) comprises providing a substrate which comprises a polymer selected from the group consisting of polyacrylamide, methylcellulose, and polyvinyl alcohol.
 - 4. The method of claim 3 wherein the providing step (a) comprises providing a substrate including polyacrylamide.
- 5. The method of claim 4 wherein the providing step (a) comprises providing a substrate containing from about 12% to 20% T acrylamide.

- 15 6. The method of claim 5 wherein the providing step (a) comprises providing a substrate containing about 18% T acrylamide.
- 7. The method of claim 4 wherein the providing step (a) comprises providing a substrate containing a linear gradient of from about 12% to 18% T acrylamide.
- 8. The method of claim 1 wherein the providing step (a) comprises providing a non-cross-linked substrate.
- The method of claim 1 wherein the providing step comprises providing a substrate which is up
 to about 1% cross-linked.

- 10. The method of claim 1 wherein the providing step (a) comprises providing a substrate containing 5 M to 8.3 M urea.
- 5 11. The method of claim 1 wherein the providing step (a) comprises providing a substrate containing an organic solvent selected from the group consisting of methanol, formamide, acetaldehyde, ethanol, dimethylsulfoxide, glycol, acetone, 1-propanol, 2-propanol, glycerol,

1, 2-propanediol, and 1, 3-propanediol.

- 12. The method of claim 11 wherein the providing step (a) comprises providing a substrate containing formamide.
 - 13. The method of claim 12 wherein the providing step (a) comprises providing a substrate containing about 32% to 74% (volume:volume) formamide.
 - 14. The method of claim 11 wherein the providing step (a) comprises providing a substrate containing dimethylsulfoxide.
- 15. The method of claim 14 wherein the providing step (a) comprises providing a substrate containing about 32% to 52% (volume:volume) dimethylsulfoxide.

30

25

15

5

- 16. The method of claim 1 wherein the contacting step (b) comprises contacting the substrate with a modified mononucleotide selected from the group consisting of 3'-substituted mononucleotide analogs, 5'-substituted mononucleotide analogs, and 3', 5'- substituted mononucleotide analogs.
- 17. The method of claim 16 wherein the contacting step (b) comprises contacting the substrate with a mononucleotide analog having a 5'-linked chemical structure selected from the group consisting of alkylphosphonates, phosphorothioates, phosphorodithioates, alkylphosphonothioates, phosphoramidates, and phosphate esters, carbamates, carbonates, phosphate triesters, acetamidate, and carboxymethyl esters.
 - 18. The method of claim 1 wherein the contacting step (b) comprises contacting the substrate with a modified oligonucleotide having at least one synthetic internucleotide linkage.
- 19. The method of claim 18 wherein the contacting step (b) comprises contacting the substrate with an oligonucleotide analog having at least one synthetic internucleotide linkage selected from the group consisting of alkylphosphonates, phosphorothioates, phosphorodithioates, alkylphosphonothioates, phosphoramidates, phosphate esters, carbamates, carbonates, phosphate triesters, acetamidate, and carboxymethyl esters.

-39-

- 20. The method of claim 19 wherein the contacting step (b) comprises contacting the substrate with a modified mononucleotide having a 5'-phosphorothicate substitution and a modified oligonucleotide having at least one phosphorothicate internucleotide linkage.
- 21. The method of claim 1 wherein the contacting step (b) comprises contacting the substrate with a modified oligonucleotide having at least one unoxidized substitution at a nonbridging oxygen.
- 22. The method of claim 1 wherein the contacting step (b) comprises contacting the substrate with mononucleotides and oligonucleotides having from 1 to 150 bases.
- 23. The method of claim 22 wherein the contacting step (b) comprises contacting the substrate with mononucleotides and oligonucleotides having from 1 to 50 bases.
 - 24. The method of claim 1 wherein the applying step (c) comprises applying an electric field of about 400 volts/cm across the substrate.
 - 25. The method of claim 1 wherein the applying step (c) comprises applying an electric field of about 800 volts/cm across the substrate.


-40-


- 26. A substrate useful for separating unmodified and/or modified mononucleotides and oligonucleotides, the substrate comprising at least 12% (weight:volume) polymer in at least 5 M urea and at least 32% (volume:volume) organic solvent, the organic solvent being a chemically stable liquid at room temperature and having a dielectric constant of at least 20.
- 10 27. The substrate of claim 26 comprising from 0 to 16.2% (volume:volume) water.
- 28. The substrate of claim 26 wherein the substrate comprises a polymer selected from the group consisting of polyacrylamide, methylcellulose, and polyvinyl alcohol.
 - 29. The substrate of claim 28 comprising polyacrylamide.


- 30. The substrate of claim 29 comprising from about 12 to 20% T acrylamide.
- 31. The substrate of claim 29 comprising a linear gradient of from about 13 to 18% T acrylamide.
 - 32. The substrate of claim 26 comprising a non-cross-linked substrate.
- 30 33. The substrate of claim 32 which is up to 1% cross-linked.


- 34. The substrate of claim 26 comprising from 5 M to 8.3 M urea.
- 35. The substrate of claim 26 wherein the organic solvent is selected from the group consisting of methanol, formamide, acetaldehyde, ethanol, dimethylsulfoxide, glycol, acetone, 1-propanol, 2-propanol, glycerol, 1, 2-propanediol, and 1, 3-propanediol.


- 36. The substrate of claim 35 wherein the organic solvent is formamide.
- 37. The substrate of claim 36 comprising about 32% to 74% (volume:volume) formamide.
 - 38. The substrate of claim 35 wherein the organic solvent is dimethylsulfoxide.
- 39. The substrate of claim 38 wherein the substrate comprises about 32% to 52% (volume:volume) dimethylsulfoxide.
- 40. A substrate useful for separating unmodified and/or modified mononucleotides and oligonucleotides, the substrate comprising about 14% to 56% (weight:volume) dimethylsulfoxide in at least 5 M urea and at least 32% (volume:volume) organic solvent, the organic solvent being a chemically stable liquid at room temperature and having a dielectric constant of at least 20.























F16.8

INTERNATIONAL SEARCH REPORT

mal Application No PCT/US 95/00163

A. CLASSIFICATION OF SUBJECT MATTER IPC 6 C07H1/06 C07H21/00 G01N27/447

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

 $\begin{array}{lll} \mbox{Minimum documentation searched} & \mbox{(classification system followed by classification symbols)} \\ \mbox{IPC 6} & \mbox{C07H} & \mbox{G01N} & \mbox{C12Q} \\ \end{array}$

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	EP,A,O 497 448 (BECKMANN INSTRUMENTS INC) 5 August 1992 see the whole document	1-13, 26-37
Ρ,Χ	WO,A,94 14824 (HYBRIDON INC.) 7 July 1994 see the whole document	1-13, 16-37
X	TRENDS IN ANALYTICAL CHEMISTRY, vol. 12,no. 5, 1993 AMSTERDAM NL, pages 195-202, COHEN A.S. ET AL 'Capillary gel electrophoresis of biopolymers' see page 200, column 2 -/	1,16,26

Special categories of cited documents: A document defining the general state of the art which is not considered to be of particular relevance E* earlier document but published on or after the international filing date L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) O* document referring to an oral disclosure, use, exhibition or other means P* document published prior to the international filing date but later than the priority date claimed	 "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art. "&" document member of the same patent family
Date of the actual completion of the international search 3 May 1995	Date of mailing of the international search report 1 9. 05. 95
Name and mailing address of the ISA European Patent Office, P.B. 5818 Patentlaan 2 NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax (+31-70) 340-3016	Authorized officer Day, G

• 1

Further documents are listed in the continuation of box C.

Patent family members are listed in annex.

INTERNATIONAL SEARCH REPORT

Inter mal Application No
PCT/US 95/00163

C (Care		PCT/US 95/00163			
Category *	CONTINUATION) DOCUMENTS CONSIDERED TO BE RELEVANT				
-augury	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.			
Р,Х	JOURNAL OF CHROMATOGRAPHY B, vol. 662, no. 2, February 1994 AMSTERDAM NL, pages 343-349, BOURQUE A.J. AND COHEN A.S. 'Quantitative analysis of phosphorothicate oligonucleotides in biological fluids using direct injection fast anion-exchange chromatography and capillary gel electrophoresis' see page 344, column 2	1,16,26			
		·			

INTERNATIONAL SEARCH REPORT

information on patent family members

Inter mal Application No
PCT/US 95/00163

Patent document cited in search report	Publication date	Patent family member(s)		Publication date
EP-A-497448	05-08-92	JP-A-	5093710	16-04-93
WO-A-9414824	07-07-94	AU-B-	6441594	19-07-94

Form PCT/ISA/210 (patent family annex) (July 1992)